

Autoimmune Disease In The Home Care Patient

Satellite Conference
Wednesday, September 29, 2004
2:00-4:00 p.m. (Central Time)

Produced by the Alabama Department of Public Health
Video Communications Division

Faculty

Jack Hataway, MD, MPH
Director
Chronic Disease Prevention Division
Bureau of Health Promotion
and Chronic Disease
Alabama Department of Public Health

Objectives

1. Define Autoimmune Disease.
2. List three examples of Autoimmune Disease.
3. Discuss the home care for patients diagnosed with Autoimmune Disease.

Autoimmune Disease

Definition: A disease in which the body's immune system attacks the body's own cells. There are over 60 different types.

Population Burden

- United States:
50-70 million persons
- Alabama:
800,000 to 1,112,000 persons

Demographics

- Generally more females than males.
- Varies within racial and ethnic groups.
- Generally affects people who are young or middle aged.

Causes

Infectious Diseases:

Coxsackie Virus	Type 1 Diabetes
Crohn's Disease	Intestinal Bacteria
Rheumatoid Arthritis	Mycoplasma
Multiple Sclerosis	Hepatitis B

Causes

Genetics/Inheritance:

- Systemic Lupus Erythematosus
- Type 1 Diabetes
- Rheumatoid Arthritis

Causes

Environment:

- Multiple Sclerosis
Limited sun exposure
- Systemic Lupus Erythematosus
Smoking, sun exposure
- Psoriasis
Cold, dry climate

Nutrition:

- Celiac Disease
Gluten

Natural History of Diseases

- Hard to diagnose.
- Frequently misdiagnosed.
- People may see many doctors before the diagnosis is clear.
- Symptoms and signs take time to appear before the diagnosis.
- Symptoms may be very nonspecific.
- Lab tests may not be helpful early and may be misleading.
- Symptoms may improve, then worsen.

Function of the Immune System

Defense:

- Infections
- Foreign bodies
- Chemical exposures
- Cancer

Function of the Immune System

White Blood Cells:

- Macrophages - Travel in tissue
- Neutrophils - Travel in blood

Lymphocytes:

- B cells from bone marrow. Travel in blood and tissue.
- T cells from thymus. Travel in blood and tissue.

Chemical Responses

Antibodies:

- React to foreign substances (proteins) called antigens

Lymphokines or Cytokines:

- Chemical messenger

Diagnosis

- History
- Physical
- Genetic testing
- Early detection

Diagnosis

- Supporting laboratory studies:
 - Antinuclear antibodies (ANA)
 - Rheumatoid factor (RF)
 - Cytoplasmic antibodies
 - Complement
 - Sedimentation rate
 - Others specific to condition
 - Nonspecific (blood count, liver function, kidney function)

Examples of Autoimmune Diseases

Rheumatoid Arthritis:

- Inflamed joints with joint destruction
- Affects 2 million persons in the U.S.
- Affects twice as many women as men
- Usually develops between ages 25 to 50
- Two types, juvenile and adult onset

Examples of Autoimmune Diseases

Multiple Sclerosis:

- Destruction of protective covering of nerve, myelin, replaced by scars in the brain and spinal cord.
- Affects about 400,000 persons in the U.S.
- Affects women more than men.

Examples of Autoimmune Diseases

Multiple Sclerosis:

- Usually develops between ages 20 to 50.
- Has many forms.
- Five times more prevalent in a temperate area like the northern U.S. as compared to Florida.

Examples of Autoimmune Diseases

Type 1 Diabetes Mellitus:

- Destruction of insulin producing cells in the pancreas, leading to high blood sugar
- Affects children

Examples of Autoimmune Diseases

Systemic Lupus Erythematosus (SLE):

- Immune system attacks the body's connective system.
- Causes widespread damage and health problems.
- Difficult to estimate how many are affected; hard to diagnose.

Examples of Autoimmune Diseases

Systemic Lupus Erythematosus (SLE):

- Affects people of African, Asian, or Native American descent three times as often as whites.
- Nine out of ten persons are females.
- Usually occurs between ages 20 to 35.
- Two types, discoid (DLE) and systemic (SLE).

Examples of Autoimmune Diseases

Psoriasis:

- Chronic skin condition, with skin cells growing quickly.
- Causes thick reddish or white patches on skin.
- Affects 2 to 2.6 of the U.S. population, between 5.8 to 7.5 million persons.
- Mostly affects adults, females and males equally.
- Can have associated arthritis.

Examples of Autoimmune Diseases

Scleroderma:

- Skin tightens and becomes thicker and harder, with widespread damage.
- Affects between 40,000 to 165,000 persons in the U.S.
- More common in women, more frequently of African American than European descent.
- Affects persons between ages 30 to 50.
- Several forms.

Examples of Autoimmune Diseases

Crohn's Disease:

- Inflammatory bowel disease, causing inflammation or ulceration in intestines.
- Affects men and women equally.
- May run in families.

Examples of Autoimmune Diseases

Fibromyalgia:

- Results in chronic pain and tenderness in muscles and soft tissue as well.
- Sleep difficulties, fatigue and other symptoms but no permanent damage.
- Affects between 3 to 6 million persons in the U.S.
- Mostly women of childbearing age.
- May be due to injury or trauma.

Examples of Autoimmune Diseases

Myasthenia Gravis:

- Antibodies to nervous system chemical transmitter block action of chemical, causing muscles under some or little stress to become fatigued.
- Affects between 14,000 to 40,000 persons in the U.S.
- More likely to affect women than men.
- Usually occurs between ages 20 to 40 for women and between ages 50 to 70 for men.

Symptoms and Treatment Systemic Lupus Erythematosus (Lupus or SLE):

- Known as the “wolf” for facial rash.
- Attacks connective tissue.
- Discoid (DLE) affects sun exposed skin.
- Systemic (SLE) affects skin and internal organs.

Symptoms and Treatment Systemic Lupus Erythematosus (Lupus or SLE):

- Course waxes and wanes.
- Many persons have minor problems; others have major disability.
- 10 year survival is over 85%

Symptoms and Treatment Systemic Lupus Erythematosus (Lupus or SLE):

Diagnosis should have at least 4 of these 11 characteristics:

- Painful or swollen joints and muscle pain
- Unexplained fever
- Red rashes, most commonly on face
- Chest pain upon deep breathing
- Unusual loss of hair

Symptoms and Treatment Systemic Lupus Erythematosus (Lupus or SLE):

- Pale or purple fingers or toes from cold or stress (Raynaud's phenomenon)
- Sensitivity to the sun
- Swelling (edema) in legs or around eyes
- Mouth ulcers
- Swollen glands
- Extreme fatigue

Symptoms and Treatment Systemic Lupus Erythematosus (Lupus or SLE):

Some drugs cause lupus-like conditions

- Hydralazine
- Pronestyl
- Dilantin

Can be aggravated by hormone replacement and oral contraceptives

Symptoms and Treatment Systemic Lupus Erythematosus (Lupus or SLE):

Most common symptoms

- Extreme fatigue
 - Painful and swollen joints
 - Unexplained fever
 - Skin rashes
 - Kidney problems
 - Sores in skin, usually fingers
- No known cure

Symptoms and Treatment Systemic Lupus Erythematosus (Lupus or SLE):

History

- Illness flares, then remissions
- Different symptoms occur at different times

Diagnosis may take years or months

Symptoms and Treatment Systemic Lupus Erythematosus (Lupus or SLE):

Laboratory test

- Most common antibody found - ANA
- No single test makes the diagnosis
- May need skin or kidney biopsy
- May need to see a rheumatologist

Symptoms and Treatment Systemic Lupus Erythematosus (Lupus or SLE):

Can develop

- Nephritis
- Pleuritis and/or pneumonia
- Myocarditis and/or heart blockage
- Seizures and dizziness

Patients need to recognize symptoms of flare and call the doctor

Symptoms and Treatment Systemic Lupus Erythematosus (Lupus or SLE):

Treatments

- Nonsteroidal anti-inflammatory drugs (NSAIDS)
- Disease modifying antirheumatic medications (DMARDS)
- Antimalarials

Symptoms and Treatment Systemic Lupus Erythematosus (Lupus or SLE):

Treatments

- Corticosteroids - mainstay medication
- Immunosuppressives - cytoxan, cellcept
- New medications - biologics, being tested

Symptoms and Treatment Rheumatoid Arthritis:

- Affects bones and joints - inflammatory condition
- Damages lining of joints - synovium
- Can cause joint problems in digits, hands and feet
- Can damage cervical spine, causing spinal cord damage

Symptoms and Treatment Rheumatoid Arthritis:

- Can cause disability in young people
- Increases risk of heart attack and stroke
- Rarely affects other parts of the body
- Controllable, not curable
- Treat early and aggressively to prevent joint damage

Symptoms and Treatment Rheumatoid Arthritis:

- Severity and quickness of progression varies between individuals
- Some joint destruction can be seen in 4 months
- One report showed that over 90% of patients had major joint damage less than 2 years after diagnosis

Symptoms and Treatment Rheumatoid Arthritis:

- Very important to diagnose early and treat with disease modifying antirheumatic drugs (DMARDs)
- Goal is to minimize pain, joint destruction and disability

Symptoms and Treatment Rheumatoid Arthritis:

Diagnosis

- History and physical
- Examine pattern of illness and joints affected
- Supporting laboratory studies
 - Rheumatoid factor - RF
 - Sedimentation rate

Symptoms and Treatment Rheumatoid Arthritis:

Joints

- Pain
- Swelling
- Stiffness
- Deformity
- Fatigue

Treatment Rheumatoid Arthritis:

- Nonsteroids - NSAIDS
- Tylenol
- COX-2 Inhibitors
 - Celebrex
 - Vioxx
- Corticosteroids

Treatment Rheumatoid Arthritis:

DMARDS

- Azathioprene
- Cyclosporine
- Hydroxychloroquine
- Gold sodium thiomalate
- Leflunomide
- Methotrexate
- Sulfasalazine

Treatment Rheumatoid Arthritis:

Biological response modifiers:

- Tumor Necrosis Inhibitors
 - Entanercept
 - Infliximab
 - Adalimumab
- Interleukin 1 Inhibitor
 - Anakinra

Symptoms and Treatment Multiple Sclerosis (MS):

- Inflammation of white matter in brain, with plaques or scars where myelin is destroyed
- Life-long chronic disease
- Unpredictable; ranges from benign to disabling
- Some cases are diagnosed quickly; others take time
- Produces different symptoms at different times; rarely fatal, most have normal life expectancy

Symptoms and Treatment Multiple Sclerosis (MS):

- 20% have a benign form of disease, with no progression after initial episode and normal function.
- A small percentage have a malignant form with swift decline and major disability or death after onset.

Symptoms and Treatment Multiple Sclerosis (MS):

Four patterns:

- Relapsing-remitting
 - Complete or partial recovery
 - 75% of cases
- Primary progressive
 - Gradual decline and no remission
 - 15% of cases

Symptoms and Treatment Multiple Sclerosis (MS):

- Secondary progressive
 - Starts like relapsing-remitting
 - Then acts like primary progressive
 - Seen in 50% of those with relapsing-remitting
- Progressive-relapsing (rare)
 - Starts with progressive, acute attacks
 - Seen in 10% of cases

Symptoms and Treatment Multiple Sclerosis (MS):

Symptoms:

- Blurred or double vision
- Red-green color distortion
- Loss of vision in one eye
- Muscle weakness in extremities
- Difficulty with balance
- Partial or complete paralysis
- Fatigue
- Paresthesias

Symptoms and Treatment Multiple Sclerosis (MS):

Symptoms:

- Speech impediments, tremors, dizziness, hearing loss
- Difficulty with concentration, attention, memory
- Depression
- Loss of bowel or bladder control
- 60% of persons have symptoms worsen when body temperature is increased by exercise or by outdoor temperature

Symptoms and Treatment Multiple Sclerosis (MS):

- Diagnosis:
 - History and physical
 - Neurologist
- Increased risk:
 - Inheritance
 - Environmental exposure-some viruses, bacteria

Symptoms and Treatment Multiple Sclerosis (MS):

Tests:

- Magnetic Resonance Imaging (MRI)
 - Can see “bright” spots where lesions are
 - Can use to detect old lesions from new lesions
 - Follow treatment
 - Evoked potentials
 - Cerebrospinal fluid
- Has to be diagnosed in context. Many other similar conditions. No cure.

Symptoms and Treatment Multiple Sclerosis (MS):

Treatment:

- Corticosteroids
- Antiviral agents
 - Beta interferon
- Muscle relaxants
 - Zanaflex, lioresal
- Medications to reduce fatigue
 - Prozac, symmetrel, provigil
- Plasma exchange

Research

Early detection: antibodies appear years before symptoms

- Trying to prevent before disease appears
- Trying earlier treatment to modify level of disease

Research

Scleroderma: immunosuppressive drugs for lung problems

- Increased use of ACE inhibitors for persons with kidney problems
- Ultraviolet light
- Stem cell transfusions

Research

SLE

- What causes it
- How to best treat it
- Identification of specific genes
- Cholesterol lowering drugs to prevent heart disease
- Biologic agents to block the immune system

Research

Multiple Sclerosis

- Interferon beta and glatiramer acetate for the immune system
- New monoclonal antibody looks promising
- Cholesterol lowering drug reduced the number of brain lesions

Research

Rheumatoid Arthritis

- Monoclonal antibody, Enbrel, reduces joint damage.
- Newer antibody blocker reduced disease activity in patients with severe disease.

Research

Rheumatoid Arthritis

- Cholesterol lowering drugs, statins, have reduced inflammation in patients.
- High daily intake of Vitamin C from fruits and vegetables significantly reduced the chance of having rheumatoid arthritis.

Research

Type 1 Diabetes Mellitus

- Giving inhaled insulin to persons with antibodies to insulin without diabetes to try to prevent it.
- Trying to regulate the level of natural killer T cells to prevent or modify the disease.

Research

Crohn's Disease

- Using tumor necrosis factor alpha (TNF) to reduce inflammation.
- Using antibiotics to treat.
- Using budesonide, a corticosteroid, to decrease side effects of steroids.
- Using immunosuppressive drugs.

Research

Crohn's Disease

- Using experimental drug, natalizumab, which binds to immune cells.
- Using zinc to remove free radicals to reduce inflammation.

Research

Myasthenia Gravis

- Using intravenous immune globulin to see if it improves response

Psoriasis

- Looking at genetic relationships
- Trying drugs to block the activity of T cells or cytokines
- Several drugs are awaiting FDA approval
- Improving ability to use laser to treat skin

Research

Fibromyalgia

- Looking at levels of low cortisol to see if they are related to symptoms
- UAB - looking at brain regions which are involved in pain symptoms
- Others are looking at post-Lyme disease model

Home Care

- Provide the care that is ordered
- Might need wound care support
 - Decubitus ulcer
 - Ulcers on fingers
- Might have major neurological deficits/problems
 - Paralysis
 - Blindness
 - Dizziness
 - Seizures

Home Care

- Might have major complications of illness
 - Dialysis
- May be very fatigued
- Might be on specific dietary restrictions/intakes
- May be on many medications
- May be on complicated medication regimens
- May develop flares of illness

Home Care

- Contact supervisor
 - Change in illness pattern
 - Worsening of disability
 - Problems with medication compliance
 - Problems with nutrition
- Many patients will require unique support from caregiver and Home Health staff